# SAFETY DATA SHEET

# SECTION 1) CHEMICAL PRODUCT AND MANUFACTURER'S IDENTIFICATION

Product ID: 491505
Product Name: Citrus Crème

Revision Date: Jun 10, 2019 Supersedes Date: Nov 15, 2016

Version: 2.0

Manufacturer's Name: Zenex International

Address: 1 Zenex Circle Cleveland, OH, US, 44146

**Emergency Phone:** 1-800-535-5053 **Information Phone Number:** (440)-232-4155

Fax:

Product/Recommended Uses: Eliminates tobacco smoke, cooking odors, mold, and mildew odors

# **SECTION 2) HAZARDS IDENTIFICATION**

#### Classification

Aerosols - Category 1

Gases Under Pressure - Compressed Gas

Eye Irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure (Narcotic Effects) - Category 3

#### **Pictograms**







#### Signal Word

Danger

# **Hazardous Statements - Physical**

H222 - Extremely flammable aerosol

H280 - Contains gas under pressure; may explode if heated

# **Hazardous Statements - Health**

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

#### **Precautionary Statements - General**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

#### **Precautionary Statements - Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

- P251 Do not pierce or burn, even after use.
- P264 Wash hands thoroughly after handling.
- P280 Wear eye protection and face protection.
- P261 Avoid breathing mist, vapors or spray.
- P271 Use only outdoors or in a well-ventilated area.

#### **Precautionary Statements - Response**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P337 + P313 If eye irritation persists: Get medical attention.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER or doctor if you feel unwell.

#### **Precautionary Statements - Storage**

- P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
- P403 + P405 Store in a well-ventilated place. Store locked up.

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

# **SECTION 3) COMPOSITION, INFORMATION ON INGREDIENTS**

CAS	Chemical Name	% By Weight
0000067-64-1	ACETONE	46% - 81%
0000074-98-6	PROPANE	19% - 34%
0000106-97-8	BUTANE	1% - 34%
Trade Secret	Fragrance	0.1% - 5%
Consider about and identity and/or		

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

#### **SECTION 4) FIRST-AID MEASURES**

#### Inhalation

Remove to fresh air. Administer oxygen if needed. Apply artificial respiration if breathing has stopped. Get medical attention.

#### **Eye Contact**

Wash immediately with large volumes of fresh water for at least 15 minutes. Get medical attention.

#### **Skin Contact**

Wipe off with a towel. Wash with soap and water. Get medical attention if irritation persists.

#### Ingestion

Ingestion is not a likely route of exposure. Get medical attention if you feel unwell.

#### **SECTION 5) FIRE-FIGHTING MEASURES**

# Suitable Extinguishing Media

Foam, Alcohol foam, CO2, Dry Chemical, Water fog.

#### **Unsuitable Extinguishing Media**

Water may be ineffective but can be used to cool containers exposed to heat or flame.

#### Specific Hazards in Case of Fire

Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include carbon dioxide, carbon monoxide, and other toxic fumes.

491505 Page 2 of 8

#### **Fire-Fighting Procedures**

Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat.

#### **Special Protective Actions**

Wear goggles and use a self-contained breathing apparatus. If water is used, fog nozzles are preferred.

# **SECTION 6) ACCIDENTAL RELEASE MEASURES**

#### **Emergency Procedure**

Avoid breathing vapors. Ventilate area. Remove all sources of ignition.

#### **Recommended Equipment**

Clean up with an absorbent material and place in closed containers for disposal.

#### **Personal Precautions**

Wear safety glasses and gloves.

#### **Environmental Precautions**

Stop spill/release if it can be done safely.

# **SECTION 7) HANDLING AND STORAGE**

#### General

Do not puncture or incinerate (burn) cans. Do not stick pins, nails, or any other sharp objects into opening on top of can. Do not spray in eyes. Do not take internally.

#### **Ventilation Requirements**

Use in a well ventilated place.

#### **Storage Room Requirements**

Store and use in a cool, dry, well-ventilated area. Do not store above 120°F. See product label for additional information.

# SECTION 8) EXPOSURE CONTROLS, PERSONAL PROTECTION

# **Eye Protection**

Safety glasses with side shields should be used if indicated. Eye wash and safety showers in the workplace are recommended.

#### **Skin Protection**

Use solvent-resistant protective gloves for prolonged or repeated contact.

# **Respiratory Protection**

Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use an approved air line respirator or hood. A self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

#### **Appropriate Engineering Controls**

Ventilation should be sufficient to prevent inhalation of any vapors.

Chemical Name	OSHA TWA (ppm)	OSHA TWA (mg/m3)	OSHA STEL (ppm)	OSHA STEL (mg/m3)	OSHA Tables (Z1, Z2, Z3)	OSHA Carcinogen	OSHA Skin designation	NIOSH TWA (ppm)	NIOSH TWA (mg/m3)	NIOSH STEL (ppm)	NIOSH STEL (mg/m3)	NIOSH Carcinogen
ACETONE	1000	2400			1			250	590			

491505 Page 3 of 8

PROPANE	1000	1800			1			1000	1800				
---------	------	------	--	--	---	--	--	------	------	--	--	--	--

Chemical Name	ACGIH TWA (ppm)	ACGIH TWA (mg/m3)	ACGIH STEL (ppm)	ACGIH STEL (mg/m3)
ACETONE	250		500	
PROPANE	See Appendix F: Minimal Oxygen Content			

(C) - Ceiling limit

# **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

# **Physical and Chemical Properties**

 Density
 5.66 lb/gal

 Density VOC
 1.19 lb/gal

 % VOC
 21.00%

Appearance Clear Odor Threshold N.A.

Odor Description Citrus Scent

pH N.A. Water Solubility Slightly

Flammability Flash point below 73°F/23°C

Flash Point Symbol N.A. Flash Point N.A. Viscosity N.A. Lower Explosion Level 1.8 Upper Explosion Level 9.5 Vapor Density N.A. Melting Point N.A. Freezing Point N.A. 0°F Low Boiling Point High Boiling Point 133°F Decomposition Pt N.A. Auto Ignition Temp N.A.

Evaporation Rate Slower than ether

# **SECTION 10) STABILITY AND REACTIVITY**

# Stability

The product is stable under normal storage conditions.

#### **Conditions to Avoid**

High temperatures.

491505 Page 4 of 8

#### **Incompatible Materials**

No data available.

#### **Hazardous Reactions/Polymerization**

None known.

#### **Hazardous Decomposition Products**

Hazardous decomposition products may include carbon dioxide, carbon monoxide, and other toxic fumes.

#### **SECTION 11) TOXICOLOGICAL INFORMATION**

#### Skin Corrosion/Irritation

No data available

#### Serious Eye Damage/Irritation

Causes serious eye irritation

#### Carcinogenicity

No data available

#### **Germ Cell Mutagenicity**

No data available

#### **Reproductive Toxicity**

No data available

#### Respiratory/Skin Sensitization

No data available

#### **Specific Target Organ Toxicity - Single Exposure**

May cause drowsiness or dizziness

#### Specific Target Organ Toxicity - Repeated Exposure

No data available

# **Aspiration Hazard**

No data available

#### **Acute Toxicity**

No data available

#### Potential Health Effects - Miscellaneous

0000067-64-1 ACETONE

The following medical conditions may be aggravated by exposure: lung disease, eye disorders, skin disorders. Overexposure may cause damage to any of the following organs/systems: blood, central nervous system, eyes, kidneys, liver, respiratory system, skin.

#### 0000067-64-1 ACETONE

LC50 (male rat): 30000 ppm (4-hour exposure); cited as 71000 mg/m3 (4-hour exposure) (29)

LC50 (male mouse): 18600 ppm (4-hour exposure); cited as 44000 mg/m3 (4-hour exposure) (29)

LD50 (oral, female rat): 5800 mg/kg (24)

LD50 (oral, mature rat): 6700 mg/kg (cited as 8.5 mL/kg) (31)

LD50 (oral, newborn rat): 1750 mg/kg (cited as 2.2 mL/kg) (31)

LD50 (oral, mouse): 3000 mg/kg (32,unconfirmed)

LD50 (dermal, rabbit): Greater than 16000 mg/kg cited as 20 mL/kg) (30)

491505 Page 5 of 8

# **SECTION 12) ECOLOGICAL INFORMATION**

#### **Toxicity**

No data available

#### Persistence and Degradability

0000067-64-1 ACETONE

91% readily biodegradable, Method: OECD Test Guideline 301B

#### **Bio-Accumulative Potential**

0000067-64-1 ACETONE

Does not bioaccumulate

#### **Mobility in Soil**

No data available.

#### **Other Adverse Effects**

No data available.

# **SECTION 13) DISPOSAL CONSIDERATIONS**

# **Water Disposal**

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

# **SECTION 14) TRANSPORT INFORMATION**

#### **U.S. DOT Information**

UN number: UN1950

Proper shipping name: Aerosols, flammable, (each not exceeding 1 L capacity) (LTD QTY)

Hazard class: 2.1

#### **IMDG** Information

UN number: UN1950

Proper shipping name: Aerosols, flammable, (each not exceeding 1 L capacity) (LTD QTY)

Hazard class: 2.1

491505 Page 6 of 8

#### **IATA Information**

UN number: UN1950 Hazard class: 2.1

Proper shipping name: Aerosols, flammable, (each not exceeding 1 L capacity) (N/A)

#### **SECTION 15) REGULATORY INFORMATION**

CAS	Chemical Name	% By Weight	Regulation List				
0000067-64-1	ACETONE	46% - 81%	CERCLA,SARA312,TSCA,RCRA,ACGIH,OSHA				
0000074-98-6	PROPANE	19% - 34%	SARA312,VOC,TSCA,ACGIH,OSHA				

# **SECTION 16) OTHER INFORMATION**

#### Glossary

\* There are points of differences between OSHA GHS and UN GHS. In 90% of the categories, they can be used interchangeably, but for the Skin Corrosion/Irritant Category and the Specific Target Organ Toxicity (Single and Repeated Exposure) Categories. In these cases, our system will say UN GHS.

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL-Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self-Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

# HMIS NFPA Health / 1 FLAMMABILITY 3 Physical Hazard 0 Personal Protection B

#### (\*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks

491505 Page 7 of 8

#### Version 2.0:

Version Date: Jun 10, 2019

#### **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

491505 Page 8 of 8